

Article number: 1457 Back quiver

This kit contains:

1 body, 1 cuff, 1 bottom, 1 strap, 3 laces

This can be made for right or left hand use.

Tie a knot on one end of the lace and cut a point on the other end.



Figure A

(Figure A) Lay cuff on the body, there will be one hole on both ends that is used for lacing the body together. Come from the back of the body through the cuff and go back through using an in and out stitch. When you have gone all the way across tie a knot and cut off the excess.



Figure B

Figure B

Roll the body around and only lace up about 4 holes on the down side at this time, using across over stitch. (Figure B) Make sure that all holes of the bottom are diagonally opposite of the holes of the body and lace

them together (with the in and out stitch) until you have gone all the way around straighten the lace and tighten one stitch at a time and tie a double knot inside (Figure B).



Figure B



Putting on the strap. Use either both right hand holes or both left hand holes and mount strap with the smooth leather sides facing using the end with 4 holes. The other end has 8 sets of adjusting holes to be used for your desired length. Therefore please lace the left over lace through both holes of the body and through both desired holes of the strap and tie a knot.



Figure C

The last step: You should now continue to lace the rest of the body. Stop at the next to the last hole and remove any undesired twist and make your stitches the desired degree of tightness and tie a knot inside the quiver (Figure C).



Manufacturer of archery equipment
Wiesenstrasse 3a
96253 Untersiemau / Meschenbach
Germany
Phone: +49 (0) 9565 617 30-0
Fax: +49 (0) 9565 617 30-2
www.beier-distribution.de
www.by-beier-germany.de
www.middle-mountain-shafts.de
info@by-beier-distribution.de
info@beier-distribution.de